

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1344	arm.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 11:42
S2	11	S1 and hardware and interpreter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 14:14
S3	201	717/139.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 14:14
S4	9	S3 and (hardware near2 interpreter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 14:28
S5	300	(Java with interpreter) and mapping and hardware	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 14:28
S6	151	S5 and native	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 14:29
S7	89	S6 and fixed	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 14:29
S8	4	S6 and fixed near mapping	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 18:36

S10	76	US-3889243-\$.DID. OR US-4236204-\$.DID. OR US-4587632-\$.DID. OR US-4969091-\$.DID. OR US-4922414-\$.DID. OR US-5136696-\$.DID. OR US-5455775-\$.DID. OR US-5619665-\$.DID. OR US-5638525-\$.DID. OR US-5659703-\$.DID. OR US-5740461-\$.DID. OR US-5742802-\$.DID. OR US-5752035-\$.DID. OR US-5784584-\$.DID. OR US-5809336-\$.DID. OR US-5838948-\$.DID. OR US-5875336-\$.DID. OR US-5892966-\$.DID. OR US-5925123-\$.DID. OR US-5926832-\$.DID. OR US-5937193-\$.DID. OR US-5953741-\$.DID. OR US-6003126-\$.DID. OR US-6009499-\$.DID. OR US-6009509-\$.DID. OR US-6014723-\$.DID. OR US-6021469-\$.DID. OR US-6026485-\$.DID. OR US-6031992-\$.DID. OR US-6038643-\$.DID. OR US-6070173-\$.DID. OR US-6088786-\$.DID. OR US-6122638-\$.DID. OR US-6125439-\$.DID. OR US-6148391-\$.DID. OR US-6298434-\$.DID. OR US-6317872-\$.DID. OR US-6338134-\$.DID. OR US-6349377-\$.DID. OR US-6374286-\$.DID. OR US-6606743-\$.DID. OR US-5937193-\$.DID.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 19:17
S11	1	(software with hardware with interpreter) and (byte\$1code OR (byte adj code)) and JIT and (mapping with memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 19:39
S12	0	(software with hardware with interpreter) and (mapping with memory with fixed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 19:39

S13	14	(software with hardware with interpreter) and (mapping with fixed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 19:53
S14	15	(software with hardware with interpreter) and (mapping with instruction with (group OR set))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 16:11
S15	22	(hardware same interpreter same (fixed OR set OR pre\$1defined) same instructions same map\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 16:27
S16	0	(mixed with software with hardware with interpreter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 11:56
S17	0	(mixed same software same (hardware with interpreter))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 11:56
S18	319	software with (hardware with interpreter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 11:57
S19	14265	S18 (instruction with execut\$3 with software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 11:57
S20	138	S18 and (instruction with execut\$3 with software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 11:57
S21	5	S20 and (hardware with (map\$4 OR corresponding) with instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 12:02
S22	0	(hardware with (map\$4 OR corresponding) with instruction) and (JIT) and (native with instruction with found)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 12:03

S23	0	(hardware with (map\$4 OR corresponding) with instruction) and (JIT) and (native with instruction with (found OR present OR available))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 12:03
S24	2	(hardware with (map\$4 OR corresponding) with instruction) and (native with instruction with (found OR present OR available))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 12:03
S25	0	(native with instruction with (found OR present OR available)) same software same interpreter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 12:04
S26	2	(hardware with instruction with (found OR present OR available)) same software same interpreter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 12:05
S27	2	"6502237".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 12:07
S28	23	(instruction with check\$3 with native with instruction) same interpreter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 12:09
S29	0	S28 and (hardware near2 interpreter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 12:09
S30	22	S28 and (hardware with interpreter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 12:12
S31	15	("256" with bytecode) and (hardware with interpreter) and (software with interpreter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 12:12
S32	8	("3735363" "4443865" "4633390" "4754393" "4785393" "6009261").PN. OR ("6298434").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 13:00

S33	75	("4245302" "4325118" "4403284" "4633390" "4638423" "4719565" "5077657" "5115500" "5430862" "5459872" "5493672" "5546562" "5551013" "5572710" "5574927" "5600579" "5619666" "5630066" "5638525" "5925123" "6021273" "6021469" "6078322" "6151618").PN. OR ("5838948" "5925123" "6292883").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 14:58
S34	15	S33 and bytecode and table	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 14:30
S35	2	(hardware with software with interpreter).ti.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 15:02
S36	22	(hardware adj interpreter)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 15:06
S37	21	(hardware with interpreter with map\$4)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 15:07
S38	5	(hardware with interpreter with (map\$4 OR corresponding) with instruction)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 15:08
S39	6	("4524416" "5584026" "5953736" "6108768" "6332215" "5925123").pn.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 15:31
S40	2	S39 and (software with interpreter)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 15:31

S41	59	("4587612" "4631663" "4763255" "4783738" "4860191" "4961141" "5077657" "5113522" "5136696" "5142681" "5163139" "5193180" "5201056" "5218711" "5241636" "5313614" "5333296" "5335344" "5355460" "5430862" "5481684" "5490256" "5535329" "5542059" "5574927" "5577233" "5619666" "5634118" "5650948" "5659703" "5692170" "5761477" "5764908" "5768593" "5774868" "5778178" "5781750" "5784584" "5794068" "5809336" "5838165" "5875336" "5889996" "5898850" "5898885" "5903761" "5923892" "5937193" "5953741" "5983334" "5999731" "6021469" "6026485" "6131144" "6158048" "6167488" "6209077").PN. OR ("6332215").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 15:39
S42	5	bytecode with native with (mapping OR correspond\$3) with instruction	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 15:49
S43	11	("4724521" "5162986" "6044218" "6121593" "6139177" "6170015" "6199136" "6282698" "6282714" "6289506").PN. OR ("6539433"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 15:48
S44	104	(instruction with map\$4) and (hardware with (interpret\$3 OR convert\$3 OR accelerat\$3)) and (software with interpreter)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 15:51
S45	24	S44 and table and bytecode	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 15:51
S46	158	(native with (non\$1native) with instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 16:11
S47	84	S46 and register and table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 16:11

S48	54	S47 and interpreter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 16:12
S49	35	S47 and interpreter with hardware	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 16:15
S50	2	"5925123".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 16:15
S51	4	("6535903" "6502237").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 16:18
S52	4	(java same hardware same acceleration) and (register same mapping)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 16:18
S53	5	(java same hardware same acceleration) and (register and mapping)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 16:19
S54	488	712/209.ccls. OR 717/139.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 16:19
S55	50	S54 and (hardware with interpreter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 16:19
S56	24	S46 and S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 16:27
S57	23	("5619665").URPN.	USPAT	OR	ON	2004/12/03 16:45

S58	13	(US-20020129225-\$ or US-20010010072-\$).did. or (US-5838948-\$ or US-5925123-\$ or US-6298434-\$ or US-6292883-\$ or US-6021469-\$ or US-6332215-\$ or US-6539433-\$ or US-4724521-\$ or US-5842017-\$ or US-6820252-\$ or US-6711667-\$).did.	US-PGPUB; USPAT	OR	ON	2004/12/03 17:11
S59	0	S58 and corresponding	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 17:11
S60	0	S54 and (corresponding with native with instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 17:13
S61	0	S54 and (corresponding with native)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 17:13
S62	49	(corresponding with native with native)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 17:14
S63	1	(corresponding with native with instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 17:14
S64	35	(instruction with mapping with native)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 17:32
S65	147	(different with bytecodes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 17:32
S66	25	S65 and (hardware with interpreter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 17:51

S67	41	(translation with table) and mapping and (hardware with interpreter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 17:52
S68	1	"invalid entry trap"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 18:58
S69	4	S58 and trap	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 18:58
S70	1	(trap with un\$1supported with instruction) and interpreter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 19:00
S71	1	(trap with un\$1supported with translation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 19:00
S72	30	(trap with un\$1supported)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 19:00
S73	2	"5937193".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 14:21
S74	2	"6279079".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 14:45
S75	7	US-5590331-\$.DID. OR US-5896522-\$.DID. OR US-6292883-\$.DID.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 14:46
S76	4	("20020052727" "20020069402"). pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 14:57

S77	2	US-6502237-\$.DID.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 15:36
S78	8	(fixed with hardware with interpreter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 15:37
S79	7	jazelle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 16:26
S80	1234	lightfoot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 16:26
S81	16	S80 and java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 16:29
S82	21	(hardware with (byte\$1code (byte adj code)) with execution) and (software adj interpreter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 16:35
S83	9	("20020052727" "20020069402" "5590331" "5875336" "5896522" "5898885" "6026485" "6279079" "6292883").PN. OR ("6820252").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/16 16:35
S84	6	(fixed near2 mapping) and (programmable near2 mapping) and interpreter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 12:29
S85	37	(fixed near2 mapping) and (programmable near2 mapping)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 12:31

S86	40	("3955180" "3997895" "4315321" "4434462" "4450519" "4587612" "4763255" "4791558" "4901233" "4961141" "5043870" "5142681" "5241679" "5274831" "5301198" "5355460" "5388235" "5481684" "5481693" "5490256" "5542059" "5546552" "5560013" "5564031" "5574927" "5598560" "5754830" "5794049" "5805895").PN. OR ("5875336").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/03 15:08
S87	34	(non\$1native with hardware with interpreter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 15:21
S88	4	S87 and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 15:21
S89	9	("20020052727" "20020069402" "5590331" "5875336" "5896522" "5898885" "6026485" "6279079" "6292883").PN. OR ("6820252").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/03 15:32
S90	1	"6279079".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/03 16:57
S91	26	(hardware near2 interpreter) and (software near2 interpreter) and native and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 17:11
S92	9	(hardware adj interpreter) and native and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 17:11
S93	65	hardware with bytecode with interpreter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 17:21

S94	60	("4587612" "4631663" "4763255" "4783738" "4860191" "4961141" "5077657" "5113522" "5136696" "5142681" "5163139" "5193180" "5201056" "5218711" "5241636" "5313614" "5333296" "5335344" "5355460" "5430862" "5481684" "5490256" "5535329" "5542059" "5574927" "5577233" "5619666" "5634118" "5650948" "5659703" "5692170" "5761477" "5764908" "5768593" "5774868" "5778178" "5781750" "5784584" "5794068" "5809336" "5838165" "5875336" "5889996" "5898850" "5898885" "5903761" "5923892" "5937193" "5953741" "5983334" "5999731" "6021469" "6026485" "6131144" "6158048" "6167488" "6209077").PN. OR ("6332215").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/03 17:40
S95	2	"5937193".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 10:15
S96	19	("4873628" "5692047" "5740441").PN. OR ("5937193").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/06 11:46
S97	218	717/139.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/06 11:46
S98	25	S97 and (hardware with interpreter) and (software with interpreter)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/06 11:49
S99	6	S97 and (java with processor) and (software with interpreter)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/06 11:50
S100	7	(java adj processor) and (software adj interpreter)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/06 12:06
S101	30	(java near2 processor) and (software adj interpreter)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/06 11:59
S102	7	(hardware adj interpreter) and (software adj interpreter)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/06 12:20

S10 3	1	"5937193".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/06 13:02
S10 4	4	(map\$4 near2 byte\$1code\$2) and ((mapping mapped) near2 programma\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 13:05
S10 5	46	(map\$4 near2 byte\$1code\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 13:05
S10 6	36	S105 and native	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 13:05
S10 7	26	(byte\$1code\$2) near2 (mapping mapped unmapping unmapped)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 13:06
S10 8	20	S107 and native	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 13:19
S10 9	1	bytecode with vary\$3 with (map\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 13:20
S11 0	1	bytecode same vary\$3 with (map\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 13:20
S11 1	4	bytecode same vary\$3 same (map\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 13:20

S11 2	128	different with programmable with (map\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 13:21
S11 3	5	S112 and bytecode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 13:21
S11 4	19	("4873628" "5692047" "5740441").PN. OR ("5937193"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/06 14:14